

## Consent for Influenza Immunization

For use at Alberta Health Services (AHS) influenza immunization programs. Use this form when a parent or alternate decision-maker is **not** able to be with the person being immunized at an AHS influenza immunization service. An alternate decision-maker could be an agent, guardian, specific decision-maker or co-decision-maker. The parent or alternate decision-maker should **complete this form** and **send it** with the person being immunized, to the AHS influenza immunization service. Alternate decision-makers **must also** include a copy of the documents showing they are authorized as alternate decision-maker. These documents are required for this person to be immunized.

### Personal information for the person being immunized

Name (*Last, First, Middle*)

Personal Health Number (PHN)

Date of Birth (*dd-Mon-yyyy*)

### Health information for the person being immunized (*If you need more space, use Notes section on reverse of this form.*)

Does this person have any allergies, including allergies to any vaccine, medicine, or food?

No       Yes ► List all allergies and reactions

Does this person have any chronic (*long-term*) health conditions?

No       Yes ► List all health conditions

Is this person taking any medicine?

No       Yes ► List all medicines

Has this person had influenza vaccine before?

No       Yes ► When was their last dose?

Has this person ever had an unusual or serious side effect from influenza immunization (*other than the expected side effects listed on the influenza vaccine information sheet*)?

No       Yes ► Describe

Has this person had any vaccines in the last 2 weeks?

No       Yes ► List vaccine and date

### Consent

I confirm that I have read the attached influenza vaccine information.

- I know about and understand the risks, benefits, and common side effects of this vaccine.
- I know I can contact my local public health or community health centre or call Health Link at 811 if I have any questions. At the time of signing this form, I have no questions about this person getting this vaccine.
- I understand this consent is for all doses of the vaccine when more than 1 dose of the vaccine is needed.
- I will contact my local public health or community health centre or the healthcare provider giving this vaccine before this person gets any dose if:
  - their health changes
  - they have a severe or unusual side effect after getting the influenza vaccine (*other than the expected side effects listed on the influenza vaccine information sheet*)
- I understand the information I have been given.
- I confirm that I have the legal authority to consent to this person's immunization.

I consent to this person getting the influenza immunization.

- I understand that I may withdraw (*take back*) this consent at any time by calling the local public health or community health centre or healthcare provider giving this vaccine.

Name of Person Giving Consent (*print*)

Signature of Person Giving Consent

Date (*dd-Mon-yyyy*)

Relationship to Person

Parent (*with legal authority to consent*)

Co-decision-maker

Guardian/Legal Representative

Specific decision-maker

Agent

Other \_\_\_\_\_

Daytime Phone

Other Phone

Alberta Health Services collects health information according to Section 20 of the Health Information Act (HIA). This information is used to provide health services, determine eligibility for health services, or to carry out any other purpose authorized by the HIA. If you have any questions about this, please ask the healthcare provider giving the immunization or contact your local public health or community health centre. If you do not know your local public health or community health centre, call Health Link at 811 to get this information.

**For Office Use Only**

Name <i>(Last, First, Middle)</i>	PHN
-----------------------------------	-----

**Phone/Fax Consent**

 Mode Consent was Received         Fax/Scan         Phone

Name of Healthcare Provider obtaining the consent	Date <i>(dd-Mon-yyyy)</i>	Time <i>(24hrs)</i>
---	---------------------------	---------------------

Signature of Healthcare Provider obtaining the consent

**Consent Using an Interpreter *(for non-English speaking parent/client)***

Interpreter's Name or ID #	Phone	Date <i>(dd-Mon-yyyy)</i>	Time <i>(24hrs)</i>
----------------------------	-------	---------------------------	---------------------

**Notes *(For Office Use or if need more space for health information)***


---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

# Influenza (Flu) Vaccine

## Get protected, get immunized.

- **Vaccines make your immune system stronger. They build antibodies to help prevent diseases.**
- **Immunization is safe. It is much safer to get immunized than to get these diseases.**

### What is the influenza vaccine?

The influenza vaccine protects against the influenza virus.

### What is influenza?

Influenza is an infection of the nose, throat, and lungs that is caused by a virus. Symptoms start suddenly and may include:

- a fever and chills
- a sore throat or cough
- a headache
- muscle aches
- not feeling hungry or not wanting to eat (poor appetite)
- feeling tired

Other symptoms may include feeling sick to your stomach (nausea), vomiting (throwing up), or having loose stool (diarrhea). These are more common in young children.

In some cases, influenza can lead to a lung infection (pneumonia) or make other health problems worse.

Even healthy, young people can get very sick or die from influenza.

The number of people who get sick with influenza is different year to year. On average each year, more than 12,000 people in Canada have to stay in a hospital because of influenza and 3,500 people die from it.

### How does it spread?

Influenza can spread in the following ways:

- An infected person sneezes, coughs, or even talks.
- You breathe in the virus.
- You touch something that has the virus on it (such as hands or a door knob), then touch your eyes, mouth, or nose.

You can spread influenza before symptoms start.

### How can I stop influenza from spreading?

To stop influenza from spreading:

- Get the influenza vaccine every year.
- Wash your hands with warm water and soap or use an alcohol-based hand sanitizer often.
- Cover your cough or sneeze into your arm or a tissue, not your hand.
- Stay home when you are sick.

### Who should get the influenza vaccine?

Everyone is at risk of influenza. You should get the influenza vaccine if you are age 6 months or older.

Influenza can make you very sick and lead to other health problems, especially if:

- You have heart or lung conditions, diabetes, a weak immune system, a lot of extra weight, or other health problems.
- You live in a care facility, such as a nursing home.
- You are under age 5 years.
- You are age 65 years or older.
- You are pregnant.
- You are an Indigenous person.

It is important to get the influenza vaccine each year, especially if:

- You have a high risk of getting very sick from influenza.
- You have close contact with someone who is at high risk of getting very sick from influenza, such as family members and caregivers.
- You are a healthcare provider. (Getting the vaccine helps to protect you and the people you care for.)

The vaccine is free if you live, work, go to school, or are visiting in Alberta.

### How many doses do I need?

If you are under age 9 years, the first time you get the influenza vaccine you will need 2 doses, at least 4 weeks apart.

Everyone else only needs 1 dose of the influenza vaccine each influenza season. The season starts in late fall and lasts through the winter.

### Are there different types of influenza vaccines?

There are many types of influenza vaccines. Every year, Alberta Health looks at information about influenza to help them decide which vaccines to offer for free.

#### High-dose and standard-dose influenza vaccine

If you are age 65 years and older, you are at high risk for serious illness from influenza. Because your immune system changes as you age, you may not respond to immunization as well as younger people. That is why people age 65 years and older get the high-dose inactivated (killed) influenza vaccine. The high-dose vaccine has more inactivated influenza virus than the regular (standard-dose) vaccine. The higher dose means that you will have a better response to the vaccine to protect you against influenza.

If you are under age 65 years, you will get the standard-dose inactivated influenza vaccine.

Both vaccines protect against 4 types of influenza virus.

Your healthcare provider will let you know which vaccine you can get.

#### Nasal spray

The nasal spray influenza vaccine may be available to buy from a pharmacist. If you want the nasal spray, ask your pharmacist if it is right for you, and talk to them about side effects, effectiveness, doses, and any other questions you have.

The nasal spray is not offered for free in Alberta. You can check with your health insurance provider to see if they cover the cost.

## How well does the vaccine work?

How well the vaccine works is different each influenza season.

A new vaccine is made every year to protect against the 3 or 4 influenza viruses that are most likely to make you sick. Even when the vaccine does not exactly match the viruses that spread where you live, it can still help protect you from getting influenza or getting very sick from it.

The influenza vaccine is the best way to lower your risk of getting influenza and having related health problems. It can also help stop you from spreading it to others.

The influenza vaccine will start to protect you about 2 weeks after you get it.

## Where can I get the influenza vaccine?

Children under age 5 years and their families can get the influenza vaccine for free at Alberta Health Services influenza immunization clinics. Clinics are usually open from mid to late October to the end of March.

To find influenza immunization clinics where you live or to book an appointment, visit [ahs.ca/influenza](https://ahs.ca/influenza) or call Health Link at 811.

You can also get the influenza vaccine from many family doctors and pharmacists.

- Pharmacists give the influenza vaccine to anyone age 5 years and older.
- Family doctors give the influenza vaccine to anyone age 6 months and older.

Call your doctor or pharmacist to find out if they offer the vaccine.

If you want a type of influenza vaccine that is not free, you may be able to buy it at a pharmacy. Ask your doctor or pharmacist if it is right for you. You can also check with your health insurance provider to see if they cover the cost.

## Are there side effects from the influenza vaccine?

There can be side effects from the influenza vaccine, but they tend to be mild and go away in a few days. Side effects may include:

- redness, swelling, bruising, a hard spot, or feeling sore where you had the needle
- crying or getting upset easily
- feeling tired or unwell
- a headache
- a fever or chills
- body aches or sore joints
- a poor appetite
- nausea, stomach pain, vomiting, or diarrhea

At least 1 out of 100 people who got this vaccine reported 1 or more of these side effects. In some cases, it is unknown if the vaccine caused these side effects

It is important to stay at the clinic for 15 minutes after your vaccine. Some people may have a rare but serious allergic reaction called anaphylaxis. If anaphylaxis happens, you will get medicine to treat the symptoms.

It is rare to have a serious side effect after a vaccine. Call Health Link at 811 to report any serious or unusual side effects.

## How can I manage side effects?

- To help with soreness and swelling, put a cool, wet cloth over the area where you had the needle.
- There is medicine to help with a fever or pain. Check with your doctor or pharmacist if you are not sure what medicine or dose to take. Follow the directions on the package.
- Some people with health problems, such as a weak immune system, must call their doctor if they get a fever. If you have been told to do this, call your doctor even if you think the fever is from the vaccine.

## What if I had or am getting another type of vaccine?

You can get the influenza vaccine at the same time, any time before, or any time after most vaccines. However, certain vaccines have a waiting period. If you had another vaccine in the last 2 weeks, check with your healthcare provider about when you can get the influenza vaccine.

## Who should not get the influenza vaccine?

You may not be able to get this vaccine if:

- You have an allergy to any part of the vaccine (except eggs). If you have an allergy to eggs, you can safely get the vaccine.
- You had a severe (serious) or unusual side effect after this vaccine or one like it.

If you have allergies or have had a side effect from this vaccine, check with your doctor or a public health nurse before you get the vaccine.

Although you can get the vaccine if you have a mild illness, such as a cold or fever, you should stay home until you are feeling better to prevent spreading your illness to others.

## I have a fear of needles. How can I prepare for my immunization?

Many adults and children are afraid of needles. You can do many things before, during, and after immunization to be more comfortable.



Scan the QR code, visit [ahs.ca/vaccinecomfort](https://ahs.ca/vaccinecomfort), or call Health Link at 811 for information.

## For more information about immunization



Call Health Link at 811



Scan the QR code or go to [ahs.ca/immunize](https://ahs.ca/immunize)



Scan the QR code or go to [ahs.ca/influenza](https://ahs.ca/influenza)